

Installation type	Unit of measure	Capacity/ flow rate	Use factor	Fixed use (litres/person/day)	Litres/person/day
WC (single flush)	Flush volume (litres)		4.42	0.00	0.00
WC (dual flush)	Flush volume (litres)	5.00	1.46	0.00	7.30
WC (multiple fittings)	Part flush volume (litres)	2.00	2.96	0.00	5.92
	Average effective flushing volume (litres)		4.42	1.58	0.00
Taps (excluding kitchen/utility rooms)	Flow rate (litres/min)	6.00	1.58	0.00	11.06
Bath (where a shower is also present)	Capacity to overflow (litres)	130.00	0.11	0.00	14.30
Shower (where a batch is also present)	Flow rate (litres/min)	10.70	4.37	0.00	46.76
Bath only	Capacity to overflow (litres)		0.50	0.00	0.00
Shower only	Flow rate (litres/min)		5.60	10.36	0.00
Kitchen/utility room sink taps	Flow rate (litres/min)	12.50	0.44	0.00	15.86
Washing machine	(Litres/kg dry load)	8.17	2.10	0.00	17.157
Dishwasher	(Litres/place setting)	0.88	3.60	0.00	3.15
Waste disposal unit	Litres/use)	Present/yes	3.08	0.00	0.00
Water softener	Litres/person/day)		1.00	0.00	0.00
Total calculated use (litres/person/day)					121.51
Contribution form greywater (litres/person/day)					0.00
Contribution from rainwater (litres/person/day)					0.00
Normalisation factor					0.91
Total internal water consumption (litres/person/day)					110.57
External water use					5.00
Total water consumption (litres/person/day)					115.60